

## Some Math 360 sample questions for review

Incidence, Euclid's and Hilbert's axioms will be provided if needed.

**Q 1** The set of symmetries of Figure A is the same as that for Figure B- true or false. (where Figures A and B are wallpaper patterns or frieze patterns, for example.)

**Q 2** Sketch a pattern which contains some fish with two directions of translational symmetry and rotational symmetry of order 4.

**Q 3** Prove that the product of a glide reflection with itself is a translation.

**Q 4** Prove or give a counterexample: for every inversion  $I$  and every translation  $m$ ,  $m^{-1} \circ I \circ m$  is an inversion.

**Q 5** Find a circle  $p$  if possible such that the image of the circle of radius 2 centered at the origin is the line  $y=12$  under inversion through  $p$ .

**Q 6** State the definition of two points being symmetric with respect to a circle  $p$  and show that the only points that are symmetric to themselves with respect to  $p$  are the points on the circle.

**Q 7** Give an example of two rotations in the plane which proves that rotations do not always commute.

**Q 8** Sketch an example of a Frieze pattern (a figure with a single axis of discrete translational symmetry, generally a strip-type pattern) with a set of symmetries that contains a glide reflection along a horizontal line and a rotation by  $\pi$ , but does not contain reflectional symmetry across a horizontal line. Indicate centers of rotational symmetry with a  $\circ$  symbol.

**Q 9** Find the hyperbolic length of the Euclidean straight segment from  $(1, 3)$  to  $(3, 7)$ ,

**Q 10** Find the hyperbolic distance between the points  $(1, 3)$  to  $(3, 7)$ .

**Q 11** Let  $p$  be the circle of radius 2 centered at  $(0, 2)$ . What is the image of the point  $(0, 1)$  under inversion through  $p$ ? What is the image of the circle  $x^2 + (y + 5)^2 = 36$  under inversion through  $p$ ?

**Q 12** Is there a circle  $p$  such that the image of the circle of radius 5 centered at  $(0, 2)$  is the line  $y = 5$  under inversion through  $p$ ? If so, find an equation of  $p$ . If not, prove that no such  $p$  exists.

**Q 13** Euclid's Proposition 32 from Book III can be formulated as: If line  $PAB$  intersects a circle  $q$  in two points  $A$  and  $B$ , then a line  $PT$  with  $T$  on  $q$  is tangent to  $q$  if and only if the angle  $\angle ATP$  is equal to the angle  $\angle PBT$ . Use that form of Proposition 32 to prove: Let  $P$  be a point outside a given circle  $q$ , and let  $PT$  be a tangent to  $q$  at  $T$ . Let  $PAB$  be a segment intersecting  $q$  at  $A$  and  $B$ . Then  $PA \cdot PB = PT^2$ .

**Q 14** Set up an integral to find the hyperbolic length of a parabolic curve from  $(0,1)$  to  $(2,5)$ .

**Q 15** Measure the side lengths and angles of a hyperbolic triangle in the upper half plane with vertices at  $(0,2)$ ,  $(0,5)$ , and  $(4,3)$ .

**Q 16** Inversion through the circle of radius  $k$  centered at the origin is given in polar coordinates by  $\theta \rightarrow \theta, r \rightarrow \frac{k^2}{r}$ . Show that inversion is conformal— that is, that it preserves angles between curves.

**Q 17** Prove or give a counterexample: for every inversion  $I$  and every rigid motion  $m$ ,  $I \circ m \circ I$  is a rigid motion.

**Q 18** Find a point  $P$  on the vertical geodesic  $x = 3$  such that  $AP$  is congruent to the hyperbolic segment from  $(1, 3)$  to  $(13, 3)$ , where  $A$  is the point  $(3, 5)$ .

**Q 19** Set up an integral to find the length of the circle centered at the origin of radius 2 in the Riemannian metric  $ds^2 = 4x^2dx^2 + 3y^4dy^2$ .

**Q 20** Show that not every translation of the plane is a hyperbolic rigid motion.

**Q 21** Describe a hyperbolic rigid motion which sends  $(0, 5)$  to  $(3, 9)$ .

**Q 22** Let  $p$  be the circle of radius 5 centered at  $(3, 4)$ . What is the image of the point  $(0, 1)$  under inversion  $I$  through  $p$ ? What is the image of the point  $(0, 1)$  under the repeated inversion  $I^{13}$  through  $p$ ? What is the image of the unit circle centered at the origin under inversion through  $p$ ?